

Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC_L\DATA\HL060513\HL005408.D Vial: 1
 Acq On : 06-Jun-2013, 03:07 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL060413.M
 Title :
 Last Update : Thu May 23 10:06:03 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	516.882	-3.4	107	-0.08
2 T	HMX	500.000	433.587	13.3	85	-0.05
3 T	RDX	500.000	510.266	-2.1	95	-0.11
4 T	1,3,5-Trinitrobenzene	500.000	479.229	4.2	99	-0.19
5 T	1,3-Dinitrobenzene	500.000	487.946	2.4	94	-0.25
6 T	3,5-Dinitroaniline	500.000	476.929	4.6	96	-0.28
7 T	Nitrobenzene	500.000	477.635	4.5	96	-0.34
8 T	Tetryl	500.000	457.430	8.5	106	-0.56#
9 T	2,4,6-Trinitrotoluene	500.000	462.657	7.5	96	-0.52#
10 T	2-Amino-4,6-dinitrotoluene	500.000	467.710	6.5	97	-0.57#
11 T	4-Amino-2,6-dinitrotoluene	500.000	513.667	-2.7	99	-0.63#
12 T	2,4-Dinitrotoluene	500.000	470.689	5.9	94	-0.66#
13 T	2,6-Dinitrotoluene	500.000	455.488	8.9	88	-0.71#
14 T	2-Nitrotoluene	500.000	446.550	10.7	88	-1.08#
15 T	4-Nitrotoluene	500.000	470.978	5.8	94	-1.17#
16 T	3-Nitrotoluene	500.000	471.595	5.7	98	-1.25#
17 T	PETN	500.000	597.793	-19.6	146	-1.64#

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC_L\DATA\HL060513\HL005408.D Vial: 1
 Acq On : 06-Jun-2013, 03:07 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL060413.M
 Title :
 Last Update : Thu May 23 10:06:03 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------