

Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC_L\DATA\HL060613\HL005416.D Vial: 1
 Acq On : 06-Jun-2013, 18:57 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL060413.M
 Title :
 Last Update : Thu May 23 10:06:03 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	470.951	5.8	98	-0.08
2 T	HMX	500.000	418.398	16.3	82	-0.04
3 T	RDX	500.000	508.252	-1.7	95	-0.10
4 T	1,3,5-Trinitrobenzene	500.000	475.727	4.9	98	-0.18
5 T	1,3-Dinitrobenzene	500.000	488.207	2.4	94	-0.22
6 T	3,5-Dinitroaniline	500.000	480.295	3.9	97	-0.25
7 T	Nitrobenzene	500.000	474.105	5.2	96	-0.31
8 T	Tetryl	500.000	442.076	11.6	103	-0.51#
9 T	2,4,6-Trinitrotoluene	500.000	479.022	4.2	100	-0.47
10 T	2-Amino-4,6-dinitrotoluene	500.000	456.519	8.7	94	-0.51#
11 T	4-Amino-2,6-dinitrotoluene	500.000	494.332	1.1	95	-0.57#
12 T	2,4-Dinitrotoluene	500.000	473.314	5.3	94	-0.60#
13 T	2,6-Dinitrotoluene	500.000	469.289	6.1	91	-0.65#
14 T	2-Nitrotoluene	500.000	479.085	4.2	94	-0.98#
15 T	4-Nitrotoluene	500.000	495.161	1.0	99	-1.05#
16 T	3-Nitrotoluene	500.000	479.876	4.0	99	-1.12#
17 T	PETN	500.000	588.076	-17.6	144	-1.50#

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC_L\DATA\HL060613\HL005416.D Vial: 1
 Acq On : 06-Jun-2013, 18:57 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL060413.M
 Title :
 Last Update : Thu May 23 10:06:03 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------