

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL060812\
 Data File : HL003225.D
 Signal(s) : VWD1A.CH
 Acq On : 08-Jun-2012, 22:09
 Operator : HLM
 Sample : D2921-12RE
 Misc :
 ALS Vial : 54 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Jun 14 05:46:34 2012
 Quant Method : Z:\HPCHEM1\HPLC_L\methods\HL053012.M
 Quant Title : SW8330 / 8330A confirmation
 QLast Update : Thu May 31 11:08:18 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	8.244	1803941	177.970 ug/L
Target Compounds			
2) T HMX	14.183	8298133	839.445 ug/L
3) T RDX	11.679	2344062	170.711 ug/L
5) T Tetryl	38.750	38578349	1816.208 ug/L
6) T 2,4,6-Trinitrotoluene	36.129	5768437	214.094 ug/L
7) T 2-Amino-4,6-dinitroto...	17.884	985999	20.481 ug/L
8) T 4-Amino-2,6-dinitroto...	17.884	985999	20.380 ug/L
9) T 2,4-Dinitrotoluene	23.745	59835137	1535.300 ug/L
10) T 2,6-Dinitrotoluene	22.338	1191095	57.489 ug/L
12) T Nitrobenzene	13.377	1042732	37.177 ug/L
14) T 3-Nitrotoluene	19.658f	731698	36.795 ug/L


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL060812\
Data File : HL003225.D
Signal(s) : VWD1A.CH
Acq On : 08-Jun-2012, 22:09
Operator : HLM
Sample : D2921-12RE
Misc :
ALS Vial : 54 Sample Multiplier: 1

Integration File: events.e
Quant Time: Jun 14 05:46:34 2012
Quant Method : Z:\HPCHEM1\HPLC_L\methods\HL053012.M
Quant Title : SW8330 / 8330A confirmation
QLast Update : Thu May 31 11:08:18 2012
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. :
Signal Phase :
Signal Info :






#1 4-Nitroaniline

R.T.: 8.244 min
Delta R.T.: -0.005 min
Response: 1803941
Conc: 177.97 ug/L




#2 HMX

R.T.: 14.183 min
Delta R.T.: -0.004 min
Response: 8298133
Conc: 839.45 ug/L




#3 RDX

R.T.: 11.679 min
Delta R.T.: -0.006 min
Response: 2344062
Conc: 170.71 ug/L




#5 Tetryl

R.T.: 38.750 min
Delta R.T.: -0.037 min
Response: 38578349
Conc: 1816.21 ug/L




#6 2,4,6-Trinitrotoluene

R.T.: 36.129 min
Delta R.T.: -0.039 min
Response: 5768437
Conc: 214.09 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 17.884 min
Delta R.T.: -0.013 min
Response: 985999
Conc: 20.48 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 17.884 min
Delta R.T.: -0.013 min
Response: 985999
Conc: 20.38 ug/L




#9 2,4-Dinitrotoluene

R.T.: 23.745 min
Delta R.T.: -0.016 min
Response: 59835137
Conc: 1535.30 ug/L




#10 2,6-Dinitrotoluene

R.T.: 22.338 min
Delta R.T.: -0.002 min
Response: 1191095
Conc: 57.49 ug/L



#12 Nitrobenzene

R.T.: 13.377 min
Delta R.T.: 0.029 min
Response: 1042732
Conc: 37.18 ug/L



#14 3-Nitrotoluene

R.T.: 19.658 min
Delta R.T.: -0.135 min
Response: 731698
Conc: 36.80 ug/L