

Data File : H:\VOL1\HPLC\HPLC L\120615\HL003307.D Vial: 27
 Acq On : 15-Jun-2012, 22:25 Operator: HLM
 Sample : D3039-01MS Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e
 Quant Time: Jun 22 17:40 2012 Quant Results File: HL060712.RES

Quant Method : H:\VOL1\HPLC\HPLC L\METHODS\HL060712.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Fri Jun 22 17:39:50 2012
 Response via : Initial Calibration
 DataAcq Meth : 8330AGIP.M

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units
----------	------	----------	------------

System Monitoring Compounds

1) S	4-Nitroaniline	1.37f	1143909	314.531 ug/L
Spiked Amount 300.000		Range 37 - 149	Recovery	= 104.84%

Target Compounds

6) T	2,4,6-Trinitrotoluene	6.73f	1911038	162.239 ug/L
7) T	2-Amino-4,6-dinitrotoluene	7.21f	2622547	234.832 ug/L
8) T	4-Amino-2,6-dinitrotoluene	7.57f	1947223	258.022 ug/L
9) T	2,4-Dinitrotoluene	8.41f	3988275	251.821 ug/L
10) T	2,6-Dinitrotoluene	8.82f	2103307	238.954 ug/L
11) T	1,3-Dinitrobenzene	3.69f	4276843	257.556 ug/L
12) T	Nitrobenzene	4.97	2964829	264.704 ug/L
13) T	2-Nitrotoluene	12.19	1563184	224.096 ug/L
14) T	3-Nitrotoluene	14.26	1743633	236.121 ug/L
15) T	4-Nitrotoluene	12.97	1390017	233.778 ug/L
16) T	3,5-Dinitroaniline	4.02f	3310802	174.091 ug/L
18) T	PETN	19.45f	2143369	222.519 ug/L

Data File : H:\VOL1\HPLC\HPLC L\120615\HL003307.D

Vial: 27

Acq On : 15-Jun-2012, 22:25

Operator: HLM

Sample : D3039-01MS

Inst : G1314A

Misc :

Multiplr: 1.00

IntFile : events.e

Quant Time: Jun 22 17:40 2012 Quant Results File: HL060712.RES

Quant Method : H:\VOL1\HPLC\HPLC L\METHODS\HL060712.M (Chemstation Integrator)

Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)

Last Update : Fri Jun 22 17:39:50 2012


Response via : Multiple Level Calibration


DataAcq Meth : 8330AGIP.M

Volume Inj. :

Signal Phase :


Signal Info :






#6 2,4,6-Trinitrotoluene

R.T.: 6.728 min
Delta R.T.: -0.045 min
Response: 1911038
Conc: 162.24 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 7.207 min
Delta R.T.: -0.057 min
Response: 2622547
Conc: 234.83 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 7.572 min
Delta R.T.: -0.052 min
Response: 1947223
Conc: 258.02 ug/L




#9 2,4-Dinitrotoluene

R.T.: 8.410 min
Delta R.T.: -0.052 min
Response: 3988275
Conc: 251.82 ug/L




#10 2,6-Dinitrotoluene

R.T.: 8.819 min
Delta R.T.: -0.046 min
Response: 2103307
Conc: 238.95 ug/L




#11 1,3-Dinitrobenzene

R.T.: 3.685 min
Delta R.T.: -0.026 min
Response: 4276843
Conc: 257.56 ug/L




#12 Nitrobenzene

R.T.: 4.970 min
Delta R.T.: -0.018 min
Response: 2964829
Conc: 264.70 ug/L




#13 2-Nitrotoluene

R.T.: 12.186 min
Delta R.T.: -0.030 min
Response: 1563184
Conc: 224.10 ug/L




#14 3-Nitrotoluene

R.T.: 14.261 min
Delta R.T.: -0.055 min
Response: 1743633
Conc: 236.12 ug/L




#15 4-Nitrotoluene

R.T.: 12.973 min
Delta R.T.: -0.035 min
Response: 1390017
Conc: 233.78 ug/L



#16 3,5-Dinitroaniline

R.T.: 4.021 min
Delta R.T.: -0.044 min
Response: 3310802
Conc: 174.09 ug/L



#18 PETN

R.T.: 19.452 min
Delta R.T.: -0.133 min
Response: 2143369
Conc: 222.52 ug/L