

Data Path : X:\HPCHEM1\HPLC_L\Data\HL061512\
 Data File : HL003289.D
 Signal(s) : VWD1A.CH
 Acq On : 15-Jun-2012, 14:19
 Operator : HLM
 Sample : PB63757BS1
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Jun 22 23:07:36 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL060712.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Jun 22 17:39:50 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.381	1269126	348.961 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 116.32%
Target Compounds			
2) T HMX	0.923	937311	202.326 ug/L
3) T RDX	1.787	1291727	227.456 ug/L
4) T 1,3,5-Trinitrobenzene	2.792	2931213	240.133 ug/L
5) T Tetryl	6.410	925959	103.857 ug/L
6) T 2,4,6-Trinitrotoluene	6.764	3217807	273.178 ug/L
7) T 2-Amino-4,6-dinitroto...	7.262	2532601	226.778 ug/L
8) T 4-Amino-2,6-dinitroto...	7.624	1862113	246.744 ug/L
9) T 2,4-Dinitrotoluene	8.456	3932309	248.288 ug/L
10) T 2,6-Dinitrotoluene	8.865	2010108	228.365 ug/L
11) T 1,3-Dinitrobenzene	3.707	4016193	241.859 ug/L
12) T Nitrobenzene	4.987	2452132	218.929 ug/L
13) T 2-Nitrotoluene	12.224	1629020	233.534 ug/L
14) T 3-Nitrotoluene	14.330	1781435	241.240 ug/L
15) T 4-Nitrotoluene	13.013	1391821	234.082 ug/L
16) T 3,5-Dinitroaniline	4.057	3210948	168.841 ug/L
18) T PETN	19.584	2234516	231.982 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL061512\
Data File : HL003289.D
Signal(s) : VWD1A.CH
Acq On : 15-Jun-2012, 14:19
Operator : HLM
Sample : PB63757BS1
Misc :
ALS Vial : 12 Sample Multiplier: 1

Integration File: events.e
Quant Time: Jun 22 23:07:36 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL060712.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Jun 22 17:39:50 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

