

Data Path : X:\HPCHEM1\HPLC_L\Data\HL061512\
 Data File : HL003299.D
 Signal(s) : VWD1A.CH
 Acq On : 15-Jun-2012, 18:49
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Jun 23 03:45:45 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL060712.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Jun 22 17:39:50 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.387	4318874	1187.524 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 395.84%#
Target Compounds			
2) T HMX	0.929	4733111	1021.678 ug/L
3) T RDX	1.794	6348878	1117.954 ug/L
4) T 1,3,5-Trinitrobenzene	2.800	6578054	538.891 ug/L
5) T Tetryl	6.422	9098097	1020.455 ug/L
6) T 2,4,6-Trinitrotoluene	6.784	6299127	534.769 ug/L
7) T 2-Amino-4,6-dinitroto...	7.274	5977258	535.224 ug/L
8) T 4-Amino-2,6-dinitroto...	7.634	4241277	562.001 ug/L
9) T 2,4-Dinitrotoluene	8.473	8480795	535.481 ug/L
10) T 2,6-Dinitrotoluene	8.879	4791421	544.346 ug/L
11) T 1,3-Dinitrobenzene	3.715	9239475	556.410 ug/L
12) T Nitrobenzene	4.995	5450787	486.653 ug/L
13) T 2-Nitrotoluene	12.238	6931731	993.723 ug/L
14) T 3-Nitrotoluene	14.337	7587532	1027.494 ug/L
15) T 4-Nitrotoluene	13.029	6091513	1024.494 ug/L
16) T 3,5-Dinitroaniline	4.069	20469034	1076.319 ug/L
18) T PETN	19.600	25048582	2600.481 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL061512\
Data File : HL003299.D
Signal(s) : VWD1A.CH
Acq On : 15-Jun-2012, 18:49
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Jun 23 03:45:45 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL060712.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Jun 22 17:39:50 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

