

Data Path : X:\HPCHEM1\HPLC_L\Data\HL061512\
 Data File : HL003301.D
 Signal(s) : VWD1A.CH
 Acq On : 15-Jun-2012, 19:42
 Operator : HLM
 Sample : D3002-07MSD1
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Jun 23 03:46:00 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL060712.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Jun 22 17:39:50 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.386	1421864	390.958 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 130.32%
Target Compounds			
2) T HMX	0.927	896351	193.484 ug/L
3) T RDX	1.794	1376196	242.330 ug/L
4) T 1,3,5-Trinitrobenzene	2.801	3420359	280.205 ug/L
5) T Tetryl	6.426	2005545	224.945 ug/L
6) T 2,4,6-Trinitrotoluene	6.786	3780612	320.958 ug/L
7) T 2-Amino-4,6-dinitroto...	7.285	3120865	279.453 ug/L
8) T 4-Amino-2,6-dinitroto...	7.646	2312272	306.393 ug/L
9) T 2,4-Dinitrotoluene	8.481	4378134	276.437 ug/L
10) T 2,6-Dinitrotoluene	8.887	2429436	276.005 ug/L
11) T 1,3-Dinitrobenzene	3.719	4911986	295.805 ug/L
12) T Nitrobenzene	5.001	2919051	260.617 ug/L
13) T 2-Nitrotoluene	12.243	1897170	271.976 ug/L
14) T 3-Nitrotoluene	14.351	2063264	279.405 ug/L
15) T 4-Nitrotoluene	13.046	1622934	272.951 ug/L
16) T 3,5-Dinitroaniline	4.069	4064614	213.729 ug/L
18) T PETN	19.619	2440641	253.381 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL061512\
Data File : HL003301.D
Signal(s) : VWD1A.CH
Acq On : 15-Jun-2012, 19:42
Operator : HLM
Sample : D3002-07MSD1
Misc :
ALS Vial : 21 Sample Multiplier: 1

Integration File: events.e
Quant Time: Jun 23 03:46:00 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL060712.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Jun 22 17:39:50 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

