

Data Path : X:\HPCHEM1\HPLC_L\Data\HL061512\
 Data File : HL003305.D
 Signal(s) : VWD1A.CH
 Acq On : 15-Jun-2012, 21:31
 Operator : HLM
 Sample : PB63732BS1
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Jun 23 03:46:22 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL060712.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Jun 22 17:39:50 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.380	1296049	356.364 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 118.79%
Target Compounds			
2) T HMX	0.921	1028152	221.934 ug/L
3) T RDX	1.785	1409628	248.217 ug/L
4) T 1,3,5-Trinitrobenzene	2.790	3175287	260.128 ug/L
5) T Tetryl	6.401	1806233	202.589 ug/L
6) T 2,4,6-Trinitrotoluene	6.763	3520577	298.882 ug/L
7) T 2-Amino-4,6-dinitroto...	7.253	2812256	251.819 ug/L
8) T 4-Amino-2,6-dinitroto...	7.611	2073734	274.785 ug/L
9) T 2,4-Dinitrotoluene	8.452	4034678	254.751 ug/L
10) T 2,6-Dinitrotoluene	8.858	2240483	254.538 ug/L
11) T 1,3-Dinitrobenzene	3.705	4440176	267.392 ug/L
12) T Nitrobenzene	4.984	2723635	243.170 ug/L
13) T 2-Nitrotoluene	12.218	1864252	267.257 ug/L
14) T 3-Nitrotoluene	14.322	1885319	255.308 ug/L
15) T 4-Nitrotoluene	12.994	1542689	259.455 ug/L
16) T 3,5-Dinitroaniline	4.052	3583101	188.409 ug/L
18) T PETN	19.555	2289238	237.663 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL061512\
Data File : HL003305.D
Signal(s) : VWD1A.CH
Acq On : 15-Jun-2012, 21:31
Operator : HLM
Sample : PB63732BS1
Misc :
ALS Vial : 25 Sample Multiplier: 1

Integration File: events.e
Quant Time: Jun 23 03:46:22 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL060712.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Jun 22 17:39:50 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

