

Data Path : X:\HPCHEM1\HPLC_L\Data\HL061512\
 Data File : HL003310.D
 Signal(s) : VWD1A.CH
 Acq On : 15-Jun-2012, 23:45
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Jun 23 03:47:00 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL060712.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Jun 22 17:39:50 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.381	4325706	1189.402 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 396.47%#
Target Compounds			
2) T HMX	0.927	4788218	1033.573 ug/L
3) T RDX	1.791	6442128	1134.374 ug/L
4) T 1,3,5-Trinitrobenzene	2.787	6572531	538.439 ug/L
5) T Tetryl	6.406	9067397	1017.011 ug/L
6) T 2,4,6-Trinitrotoluene	6.749	6349785	539.070 ug/L
7) T 2-Amino-4,6-dinitroto...	7.256	5967343	534.336 ug/L
8) T 4-Amino-2,6-dinitroto...	7.614	4275195	566.495 ug/L
9) T 2,4-Dinitrotoluene	8.435	8485219	535.760 ug/L
10) T 2,6-Dinitrotoluene	8.838	4839706	549.832 ug/L
11) T 1,3-Dinitrobenzene	3.700	9248480	556.953 ug/L
12) T Nitrobenzene	4.975	5403029	482.389 ug/L
13) T 2-Nitrotoluene	12.182	6899790	989.144 ug/L
14) T 3-Nitrotoluene	14.272	7563340	1024.218 ug/L
15) T 4-Nitrotoluene	12.972	6069376	1020.771 ug/L
16) T 3,5-Dinitroaniline	4.060	20451079	1075.375 ug/L
18) T PETN	19.555	24950959	2590.346 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL061512\
Data File : HL003310.D
Signal(s) : VWD1A.CH
Acq On : 15-Jun-2012, 23:45
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Jun 23 03:47:00 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL060712.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Jun 22 17:39:50 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

