

Data Path : X:\HPCHEM1\HPLC_L\Data\HL061512\
 Data File : HL003312.D
 Signal(s) : VWD1A.CH
 Acq On : 16-Jun-2012, 00:39
 Operator : HLM
 Sample : SPIKE CHECK
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Jun 23 03:47:14 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL060712.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Jun 22 17:39:50 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.379	1279169	351.722 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 117.24%
Target Compounds			
2) T HMX	0.924	983052	212.199 ug/L
3) T RDX	1.786	1360434	239.555 ug/L
4) T 1,3,5-Trinitrobenzene	2.785	3037347	248.827 ug/L
5) T Tetryl	6.392	2164169	242.736 ug/L
6) T 2,4,6-Trinitrotoluene	6.745	3055935	259.436 ug/L
7) T 2-Amino-4,6-dinitroto...	7.245	2662766	238.433 ug/L
8) T 4-Amino-2,6-dinitroto...	7.605	1971337	261.217 ug/L
9) T 2,4-Dinitrotoluene	8.430	3745552	236.496 ug/L
10) T 2,6-Dinitrotoluene	8.834	2146683	243.881 ug/L
11) T 1,3-Dinitrobenzene	3.697	4259583	256.516 ug/L
12) T Nitrobenzene	4.972	2622266	234.119 ug/L
13) T 2-Nitrotoluene	12.173	1686098	241.717 ug/L
14) T 3-Nitrotoluene	14.280	1886761	255.503 ug/L
15) T 4-Nitrotoluene	12.961	1432179	240.869 ug/L
16) T 3,5-Dinitroaniline	4.049	3395691	178.555 ug/L
18) T PETN	19.533	2173716	225.670 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL061512\
Data File : HL003312.D
Signal(s) : VWD1A.CH
Acq On : 16-Jun-2012, 00:39
Operator : HLM
Sample : SPIKE CHECK
Misc :
ALS Vial : 29 Sample Multiplier: 1

Integration File: events.e
Quant Time: Jun 23 03:47:14 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL060712.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Jun 22 17:39:50 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

