

Data File : H:\VOL1\HPLC\HPLC L\120615\HL003299.D
 Acq On : 15-Jun-2012, 18:49
 Sample : 8330-CCV
 Misc :
 IntFile : events.e

Vial: 2
 Operator: HLM
 Inst : G1314A
 Multiplr: 1.00

Instrument :
 HPLC_L
 ClientSampleId :
 CCAL03

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL060712.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Wed Jun 13 15:12:30 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.637	4.319 E3	-18.8	0#	0.00
2 T	HMX	4.633	4.733 E3	-2.2	0#	0.00
3 T	RDX	5.679	6.349 E3	-11.8	0#	0.00
4 T	1,3,5-Trinitrobenzene	12.207	13.156 E3	-7.8	0#	0.00
5 T	Tetryl	8.916	9.098 E3	-2.0	0#	0.00
6 T	2,4,6-Trinitrotoluene	11.779	12.598 E3	-7.0	0#	0.01
7 T	2-Amino-4,6-dinitrotoluene	11.168	11.955 E3	-7.0	0#	0.01
8 T	4-Amino-2,6-dinitrotoluene	7.547	8.483 E3	-12.4	0#	0.01
9 T	2,4-Dinitrotoluene	15.838	16.962 E3	-7.1	0#	0.01
10 T	2,6-Dinitrotoluene	8.802	9.583 E3	-8.9	0#	0.01
11 T	1,3-Dinitrobenzene	16.606	18.479 E3	-11.3	0#	0.00
12 T	Nitrobenzene	11.201	10.902 E3	2.7	0#	0.00
13 T	2-Nitrotoluene	6.976	6.932 E3	0.6	0#	0.02
14 T	3-Nitrotoluene	7.385	7.588 E3	-2.7	0#	0.02
15 T	4-Nitrotoluene	5.946	6.092 E3	-2.5	0#	0.02
16 T	3,5-Dinitroaniline	19.018	20.469 E3	-7.6	0#	0.00
18 T	PETN	9.632	10.019 E3	-4.0	0#	0.01

Data File : H:\VOL1\HPLC\HPLC L\120615\HL003299.D
Acq On : 15-Jun-2012, 18:49
Sample : 8330-CCV
Misc :
IntFile : events.e

Vial: 2
Operator: HLM
Inst : G1314A
Multiplr: 1.00

Instrument :
HPLC_L
ClientSampleId :
CCAL03

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL060712.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Wed Jun 13 15:12:30 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	59.494	0.000	100.0#	0#	-6.33#