

Method Path : Z:\HPCHEM1\HPLC_L\METHODS\
 Method File : HL061813.M
 Title :
 Last Update : Wed Jun 19 15:09:44 2013
 Response Via : Initial Calibration

Calibration Files

5000 =HL005422.D 2000 =HL005423.D 1000 =HL005424.D
 500 =HL005425.D 100 =HL005426.D 20 =HL005427.D

	Compound	5000	2000	1000	500	100	20	Avg		%RSD
1) S	4-Nitroaniline	1.044	1.009	1.170	0.984	0.868	0.888	0.994	E4	11.10
2) T	HMX	0.880	0.831	1.079	0.895	0.959	0.800	0.907	E4	11.06
3) T	RDX	1.193	1.245	1.305	1.152	1.068	1.117	1.180	E4	7.33
4) T	1,3,5-Trinitr...	2.497	2.598	2.592	2.558	2.404	2.379	2.505	E4	3.79
5) T	1,3-Dinitrobe...	3.687	3.199	3.244	3.628	3.286	3.498	3.424	E4	6.10
6) T	3,5-Dinitroan...	3.069	3.139	3.413	3.434	3.262	3.090	3.235	E4	4.99
7) T	Tetryl	2.011	2.068	2.225	2.182	2.023	1.954	2.077	E4	5.07
8) T	Nitrobenzene	2.511	2.470	2.554	2.464	2.274	2.091	2.394	E4	7.39
9) T	2,4,6-Trinitr...	2.471	2.408	2.474	2.512	2.545	2.867	2.546	E4	6.43
10) T	4-Amino-2,6-d...	1.700	1.816	1.852	1.886	1.825	1.645	1.787	E4	5.24
11) T	2-Amino-4,6-d...	2.845	2.903	2.987	2.905	2.886	2.933	2.910	E4	1.63
12) T	2,6-Dinitroto...	1.436	1.500	1.591	1.453	1.426	1.204	1.435	E4	8.95
13) T	2,4-Dinitroto...	3.789	4.005	4.208	3.817	3.617	3.492	3.821	E4	6.77
14) T	2-Nitrotoluene	1.481	1.667	1.504	1.518	1.460	1.532	1.527	E4	4.80
15) T	4-Nitrotoluene	1.309	1.497	1.384	1.288	1.246	1.295	1.336	E4	6.77
16) T	3-Nitrotoluene	1.688	1.597	1.592	1.693	1.655	1.415	1.607	E4	6.44

(#) = Out of Range