

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL061813\
Data File : HL005428.D
Signal(s) : VWD1A.CH
Acq On : 18-Jun-2013, 20:52
Operator : QM
Sample : HSTDICV0500
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
HPLC_L
ClientSampleId :
HSTDICV0500

Integration File: autoint1.e
Quant Time: Jun 20 07:28:57 2013
Quant Method : Z:\HPCHEM1\HPLC_L\METHODS\HL061813.M
Quant Title :
QLast Update : Wed Jun 19 15:09:44 2013
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	490.734	1.9	99	-0.02
2 T	HMX	500.000	505.375	-1.1	102	-0.02
3 T	RDX	500.000	491.268	1.7	101	0.00
4 T	1,3,5-Trinitrobenzene	500.000	504.820	-1.0	99	0.00
5 T	1,3-Dinitrobenzene	500.000	463.261	7.3	87	0.00
6 T	3,5-Dinitroaniline	500.000	501.716	-0.3	95	0.02
7 T	Tetryl	500.000	479.375	4.1	91	0.00
8 T	Nitrobenzene	500.000	482.381	3.5	94	-0.03
9 T	2,4,6-Trinitrotoluene	500.000	444.634	11.1	90	0.00
10 T	4-Amino-2,6-dinitrotoluene	500.000	505.366	-1.1	96	-0.04
11 T	2-Amino-4,6-dinitrotoluene	500.000	491.157	1.8	98	-0.03
12 T	2,6-Dinitrotoluene	500.000	530.875	-6.2	105	0.01
13 T	2,4-Dinitrotoluene	500.000	496.814	0.6	99	0.01
14 T	2-Nitrotoluene	500.000	526.542	-5.3	106	0.00
15 T	4-Nitrotoluene	500.000	549.170	-9.8	114	0.00
16 T	3-Nitrotoluene	500.000	504.292	-0.9	96	0.01

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0