

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL061813\
Data File : HL005429.D
Signal(s) : VWD1A.CH
Acq On : 18-Jun-2013, 21:29
Operator : QM
Sample : HSTDCCC0500
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
HPLC_L
LabSampleId :
HSTDCCC0500

Integration File: autoint1.e
Quant Time: Jun 20 07:29:03 2013
Quant Method : Z:\HPCHEM1\HPLC_L\METHODS\HL061813.M
Quant Title :
QLast Update : Wed Jun 19 15:24:55 2013
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	502.558	-0.5	102	0.02
2 T	HMX	500.000	491.272	1.7	100	0.03
3 T	RDX	500.000	509.705	-1.9	104	0.05
4 T	1,3,5-Trinitrobenzene	500.000	512.989	-2.6	100	0.06
5 T	1,3-Dinitrobenzene	500.000	509.181	-1.8	96	-0.06
6 T	3,5-Dinitroaniline	500.000	534.033	-6.8	101	-0.08
7 T	Tetryl	500.000	571.164	-14.2	109	-0.05
8 T	Nitrobenzene	500.000	544.724	-8.9	106	0.00
9 T	2,4,6-Trinitrotoluene	500.000	503.531	-0.7	102	0.06
10 T	4-Amino-2,6-dinitrotoluene	500.000	535.631	-7.1	102	-0.02
11 T	2-Amino-4,6-dinitrotoluene	500.000	511.760	-2.4	103	-0.02
12 T	2,6-Dinitrotoluene	500.000	502.839	-0.6	99	0.00
13 T	2,4-Dinitrotoluene	500.000	514.578	-2.9	103	-0.02
14 T	2-Nitrotoluene	500.000	501.747	-0.3	101	-0.14
15 T	4-Nitrotoluene	500.000	496.783	0.6	103	-0.16
16 T	3-Nitrotoluene	500.000	507.680	-1.5	96	-0.29

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0