

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL061813\
Data File : HL005434.D
Signal(s) : VWD1A.CH
Acq On : 19-Jun-2013, 00:34
Operator : QM
Sample : HSTDCCC0500
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
HPLC_L
LabSampleId :
HSTDCCC0500

Integration File: autoint1.e
Quant Time: Jun 20 07:28:01 2013
Quant Method : Z:\HPCHEM1\HPLC_L\METHODS\HL061813.M
Quant Title :
QLast Update : Wed Jun 19 16:03:01 2013
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	496.657	0.7	100	0.09
2 T	HMX	500.000	497.367	0.5	101	0.09
3 T	RDX	500.000	487.702	2.5	100	0.09
4 T	1,3,5-Trinitrobenzene	500.000	558.213	-11.6	109	0.08
5 T	1,3-Dinitrobenzene	500.000	531.002	-6.2	100	0.14
6 T	3,5-Dinitroaniline	500.000	536.160	-7.2	101	0.17
7 T	Tetryl	500.000	529.895	-6.0	101	0.16
8 T	Nitrobenzene	500.000	515.575	-3.1	100	0.16
9 T	2,4,6-Trinitrotoluene	500.000	496.112	0.8	101	0.21
10 T	4-Amino-2,6-dinitrotoluene	500.000	528.376	-5.7	100	0.16
11 T	2-Amino-4,6-dinitrotoluene	500.000	513.333	-2.7	103	0.16
12 T	2,6-Dinitrotoluene	500.000	504.160	-0.8	100	0.13
13 T	2,4-Dinitrotoluene	500.000	504.339	-0.9	101	0.13
14 T	2-Nitrotoluene	500.000	505.860	-1.2	102	0.06
15 T	4-Nitrotoluene	500.000	520.518	-4.1	108	0.17
16 T	3-Nitrotoluene	500.000	498.236	0.4	95	0.15

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0