

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070213\HL005468.D Vial: 7
 Acq On : 02-Jul-2013, 17:19 Operator: QM
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 ClientSampleId :
 ICVHL070213

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Fri Jul 05 23:47:42 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	4.050	4.005 E3	1.1	98	-0.02
2 T	HMX	4.606	3.760 E3	18.4	85	0.00
3 T	RDX	5.046	4.435 E3	12.1	87	-0.03
4 T	1,3,5-Trinitrobenzene	11.148	10.071 E3	9.7	91	-0.02
5 T	1,3-Dinitrobenzene	15.624	14.219 E3	9.0	88	0.00
6 T	3,5-Dinitroaniline	13.968	12.957 E3	7.2	95	0.00
7 T	Nitrobenzene	9.954	8.721 E3	12.4	86	0.00
8 T	Tetryl	6.356	6.987 E3	-9.9	114	-0.02
9 T	2,4,6-Trinitrotoluene	11.742	10.477 E3	10.8	83	0.02
10 T	2-Amino-4,6-dinitrotoluene	11.757	9.473 E3	19.4	85	-0.03
11 T	4-Amino-2,6-dinitrotoluene	5.764	6.370 E3	-10.5	101	-0.03
12 T	2,4-Dinitrotoluene	14.968	13.385 E3	10.6	88	0.00
13 T	2,6-Dinitrotoluene	8.365	7.727 E3	7.6	94	0.00
14 T	2-Nitrotoluene	6.383	6.426 E3	-0.7	97	-0.07
15 T	4-Nitrotoluene	5.395	5.303 E3	1.7	98	0.00
16 T	3-Nitrotoluene	6.949	6.706 E3	3.5	99	-0.03
17 T	PETN	10.159	8.623 E3	15.1	74	-0.02

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070213\HL005468.D Vial: 7
 Acq On : 02-Jul-2013, 17:19 Operator: QM
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 ClientSampleId :
 ICVHL070213

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Fri Jul 05 23:47:42 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------