

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070213\HL005468.D Vial: 7
Acq On : 02-Jul-2013, 17:19 Operator: QM
Sample : HSTDICV0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile : autoint1.e

Instrument :
HPLC_L
ClientSampleId :
ICVHL070213

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
Title :
Last Update : Fri Jul 05 23:47:42 2013
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	494.403	1.1	98	-0.02
2 T	HMX	500.000	408.162	18.4	85	0.00
3 T	RDX	500.000	439.486	12.1	87	-0.03
4 T	1,3,5-Trinitrobenzene	500.000	451.699	9.7	91	-0.02
5 T	1,3-Dinitrobenzene	500.000	455.021	9.0	88	0.00
6 T	3,5-Dinitroaniline	500.000	463.802	7.2	95	0.00
7 T	Nitrobenzene	500.000	438.078	12.4	86	0.00
8 T	Tetryl	500.000	549.638	-9.9	114	-0.02
9 T	2,4,6-Trinitrotoluene	500.000	446.130	10.8	83	0.02
10 T	2-Amino-4,6-dinitrotoluene	500.000	402.864	19.4	85	-0.03
11 T	4-Amino-2,6-dinitrotoluene	500.000	491.786	1.6	101	-0.03
12 T	2,4-Dinitrotoluene	500.000	447.129	10.6	88	0.00
13 T	2,6-Dinitrotoluene	500.000	461.872	7.6	94	0.00
14 T	2-Nitrotoluene	500.000	503.415	-0.7	97	-0.07
15 T	4-Nitrotoluene	500.000	491.474	1.7	98	0.00
16 T	3-Nitrotoluene	500.000	482.479	3.5	99	-0.03
17 T	PETN	500.000	457.428	8.5	74	-0.02

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070213\HL005468.D Vial: 7
 Acq On : 02-Jul-2013, 17:19 Operator: QM
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 ClientSampleId :
 ICVHL070213

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Fri Jul 05 23:47:42 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------