

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070213\HL005469.D Vial: 1
 Acq On : 02-Jul-2013, 18:07 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Fri Jul 05 23:47:42 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	4.050	4.251 E3	-5.0	104	0.00
2 T	HMX	4.606	4.025 E3	12.6	91	0.00
3 T	RDX	5.046	5.205 E3	-3.2	102	0.00
4 T	1,3,5-Trinitrobenzene	11.148	11.208 E3	-0.5	101	0.02
5 T	1,3-Dinitrobenzene	15.624	15.832 E3	-1.3	98	0.03
6 T	3,5-Dinitroaniline	13.968	13.317 E3	4.7	98	0.01
7 T	Nitrobenzene	9.954	10.179 E3	-2.3	101	0.03
8 T	Tetryl	6.356	5.780 E3	9.1	95	0.03
9 T	2,4,6-Trinitrotoluene	11.742	12.689 E3	-8.1	101	0.06
10 T	2-Amino-4,6-dinitrotoluene	11.757	10.949 E3	6.9	98	0.02
11 T	4-Amino-2,6-dinitrotoluene	5.764	6.288 E3	-9.1	100	0.02
12 T	2,4-Dinitrotoluene	14.968	15.602 E3	-4.2	102	0.05
13 T	2,6-Dinitrotoluene	8.365	8.245 E3	1.4	100	0.07
14 T	2-Nitrotoluene	6.383	6.689 E3	-4.8	101	0.02
15 T	4-Nitrotoluene	5.395	5.374 E3	0.4	99	0.09
16 T	3-Nitrotoluene	6.949	6.491 E3	6.6	95	0.01
17 T	PETN	10.159	9.040 E3	11.0	77	0.03

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070213\HL005469.D Vial: 1
 Acq On : 02-Jul-2013, 18:07 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Fri Jul 05 23:47:42 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------