

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070213\HL005469.D Vial: 1
Acq On : 02-Jul-2013, 18:07 Operator: QM
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile : autoint1.e

Instrument :
HPLC_L
LabSampleId :
HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
Title :
Last Update : Fri Jul 05 23:47:42 2013
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	524.840	-5.0	104	0.00
2 T	HMX	500.000	436.909	12.6	91	0.00
3 T	RDX	500.000	515.741	-3.1	102	0.00
4 T	1,3,5-Trinitrobenzene	500.000	502.715	-0.5	101	0.02
5 T	1,3-Dinitrobenzene	500.000	506.635	-1.3	98	0.03
6 T	3,5-Dinitroaniline	500.000	476.698	4.7	98	0.01
7 T	Nitrobenzene	500.000	511.292	-2.3	101	0.03
8 T	Tetryl	500.000	454.627	9.1	95	0.03
9 T	2,4,6-Trinitrotoluene	500.000	540.326	-8.1	101	0.06
10 T	2-Amino-4,6-dinitrotoluene	500.000	465.640	6.9	98	0.02
11 T	4-Amino-2,6-dinitrotoluene	500.000	485.321	2.9	100	0.02
12 T	2,4-Dinitrotoluene	500.000	521.166	-4.2	102	0.05
13 T	2,6-Dinitrotoluene	500.000	492.823	1.4	100	0.07
14 T	2-Nitrotoluene	500.000	524.000	-4.8	101	0.02
15 T	4-Nitrotoluene	500.000	498.107	0.4	99	0.09
16 T	3-Nitrotoluene	500.000	466.989	6.6	95	0.01
17 T	PETN	500.000	481.676	3.7	77	0.03

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070213\HL005469.D Vial: 1
 Acq On : 02-Jul-2013, 18:07 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Fri Jul 05 23:47:42 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------