

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070213\HL005479.D Vial: 1
 Acq On : 02-Jul-2013, 23:00 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Fri Jul 05 23:47:42 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	4.050	4.150 E3	-2.5	101	-0.02
2 T	HMX	4.606	3.877 E3	15.8	87	0.00
3 T	RDX	5.046	5.117 E3	-1.4	100	-0.03
4 T	1,3,5-Trinitrobenzene	11.148	11.470 E3	-2.9	103	-0.02
5 T	1,3-Dinitrobenzene	15.624	16.188 E3	-3.6	100	0.00
6 T	3,5-Dinitroaniline	13.968	13.574 E3	2.8	100	-0.01
7 T	Nitrobenzene	9.954	10.073 E3	-1.2	100	0.00
8 T	Tetryl	6.356	5.790 E3	8.9	95	0.03
9 T	2,4,6-Trinitrotoluene	11.742	12.374 E3	-5.4	98	0.04
10 T	2-Amino-4,6-dinitrotoluene	11.757	10.908 E3	7.2	98	-0.01
11 T	4-Amino-2,6-dinitrotoluene	5.764	6.295 E3	-9.2	100	-0.01
12 T	2,4-Dinitrotoluene	14.968	14.916 E3	0.3	98	-0.01
13 T	2,6-Dinitrotoluene	8.365	7.878 E3	5.8	96	-0.01
14 T	2-Nitrotoluene	6.383	6.840 E3	-7.2	103	-0.07
15 T	4-Nitrotoluene	5.395	5.674 E3	-5.2	105	0.02
16 T	3-Nitrotoluene	6.949	6.775 E3	2.5	100	-0.02
17 T	PETN	10.159	10.086 E3	0.7	86	-0.05

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070213\HL005479.D Vial: 1
 Acq On : 02-Jul-2013, 23:00 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Fri Jul 05 23:47:42 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------