

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070213\HL005490.D Vial: 1
 Acq On : 03-Jul-2013, 03:56 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Fri Jul 05 23:47:42 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	4.050	4.306 E3	-6.3	105	0.00
2 T	HMX	4.606	4.459 E3	3.2	100	0.00
3 T	RDX	5.046	5.285 E3	-4.7	103	0.00
4 T	1,3,5-Trinitrobenzene	11.148	11.415 E3	-2.4	103	0.02
5 T	1,3-Dinitrobenzene	15.624	16.503 E3	-5.6	102	0.03
6 T	3,5-Dinitroaniline	13.968	13.746 E3	1.6	101	0.02
7 T	Nitrobenzene	9.954	9.994 E3	-0.4	99	0.03
8 T	Tetryl	6.356	5.985 E3	5.8	98	0.02
9 T	2,4,6-Trinitrotoluene	11.742	13.126 E3	-11.8	104	0.06
10 T	2-Amino-4,6-dinitrotoluene	11.757	11.117 E3	5.4	100	0.00
11 T	4-Amino-2,6-dinitrotoluene	5.764	6.552 E3	-13.7	104	0.00
12 T	2,4-Dinitrotoluene	14.968	15.711 E3	-5.0	103	0.02
13 T	2,6-Dinitrotoluene	8.365	8.407 E3	-0.5	102	0.04
14 T	2-Nitrotoluene	6.383	6.767 E3	-6.0	102	0.00
15 T	4-Nitrotoluene	5.395	5.494 E3	-1.8	101	0.08
16 T	3-Nitrotoluene	6.949	6.838 E3	1.6	100	0.05
17 T	PETN	10.159	8.325 E3	18.1	71	0.12

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070213\HL005490.D Vial: 1
 Acq On : 03-Jul-2013, 03:56 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Fri Jul 05 23:47:42 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------