

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070513\HL005497.D Vial: 1
 Acq On : 05-Jul-2013, 13:53 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Tue Jul 02 16:59:51 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	4.050	4.001 E3	1.2	97	0.00
2 T	HMX	4.606	4.219 E3	8.4	95	0.00
3 T	RDX	5.046	5.118 E3	-1.4	100	0.00
4 T	1,3,5-Trinitrobenzene	11.148	11.396 E3	-2.2	103	0.00
5 T	1,3-Dinitrobenzene	15.624	16.145 E3	-3.3	100	0.00
6 T	3,5-Dinitroaniline	13.968	13.402 E3	4.1	98	0.00
7 T	Nitrobenzene	9.954	9.808 E3	1.5	97	0.02
8 T	Tetryl	6.356	6.331 E3	0.4	104	-0.02
9 T	2,4,6-Trinitrotoluene	11.742	12.358 E3	-5.2	98	-0.06
10 T	2-Amino-4,6-dinitrotoluene	11.757	11.216 E3	4.6	101	-0.11
11 T	4-Amino-2,6-dinitrotoluene	5.764	6.748 E3	-17.1	107	-0.13
12 T	2,4-Dinitrotoluene	14.968	15.485 E3	-3.5	101	-0.13
13 T	2,6-Dinitrotoluene	8.365	8.272 E3	1.1	100	-0.12
14 T	2-Nitrotoluene	6.383	6.650 E3	-4.2	100	-0.16
15 T	4-Nitrotoluene	5.395	5.237 E3	2.9	97	-0.17
16 T	3-Nitrotoluene	6.949	6.465 E3	7.0	95	-0.19
17 T	PETN	10.159	10.306 E3	-1.4	88	-0.06

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070513\HL005497.D Vial: 1
 Acq On : 05-Jul-2013, 13:53 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Tue Jul 02 16:59:51 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------