

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070513\HL005497.D Vial: 1
 Acq On : 05-Jul-2013, 13:53 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Tue Jul 02 16:59:51 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	493.924	1.2	97	0.00
2 T	HMX	500.000	457.994	8.4	95	0.00
3 T	RDX	500.000	507.108	-1.4	100	0.00
4 T	1,3,5-Trinitrobenzene	500.000	511.160	-2.2	103	0.00
5 T	1,3-Dinitrobenzene	500.000	516.650	-3.3	100	0.00
6 T	3,5-Dinitroaniline	500.000	479.720	4.1	98	0.00
7 T	Nitrobenzene	500.000	492.643	1.5	97	0.02
8 T	Tetryl	500.000	497.992	0.4	104	-0.02
9 T	2,4,6-Trinitrotoluene	500.000	526.231	-5.2	98	-0.06
10 T	2-Amino-4,6-dinitrotoluene	500.000	477.009	4.6	101	-0.11
11 T	4-Amino-2,6-dinitrotoluene	500.000	521.778	-4.4	107	-0.13
12 T	2,4-Dinitrotoluene	500.000	517.286	-3.5	101	-0.13
13 T	2,6-Dinitrotoluene	500.000	494.432	1.1	100	-0.12
14 T	2-Nitrotoluene	500.000	520.936	-4.2	100	-0.16
15 T	4-Nitrotoluene	500.000	485.319	2.9	97	-0.17
16 T	3-Nitrotoluene	500.000	465.132	7.0	95	-0.19
17 T	PETN	500.000	555.328	-11.1	88	-0.06

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070513\HL005497.D Vial: 1
 Acq On : 05-Jul-2013, 13:53 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Tue Jul 02 16:59:51 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------