

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070513\HL005507.D Vial: 1
 Acq On : 05-Jul-2013, 18:33 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Tue Jul 02 16:59:51 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	4.050	4.206 E3	-3.9	102	0.04
2 T	HMX	4.606	4.206 E3	8.7	95	0.02
3 T	RDX	5.046	5.206 E3	-3.2	102	0.05
4 T	1,3,5-Trinitrobenzene	11.148	11.127 E3	0.2	100	0.06
5 T	1,3-Dinitrobenzene	15.624	16.158 E3	-3.4	100	0.06
6 T	3,5-Dinitroaniline	13.968	13.180 E3	5.6	97	0.06
7 T	Nitrobenzene	9.954	9.252 E3	7.1	92	0.08
8 T	Tetryl	6.356	6.415 E3	-0.9	105	0.06
9 T	2,4,6-Trinitrotoluene	11.742	11.526 E3	1.8	92	0.02
10 T	2-Amino-4,6-dinitrotoluene	11.757	9.766 E3	16.9	88	-0.03
11 T	4-Amino-2,6-dinitrotoluene	5.764	6.344 E3	-10.1	100	-0.03
12 T	2,4-Dinitrotoluene	14.968	14.508 E3	3.1	95	-0.04
13 T	2,6-Dinitrotoluene	8.365	8.131 E3	2.8	99	-0.05
14 T	2-Nitrotoluene	6.383	5.993 E3	6.1	90	-0.04
15 T	4-Nitrotoluene	5.395	5.286 E3	2.0	98	-0.03
16 T	3-Nitrotoluene	6.949	6.508 E3	6.3	96	-0.01
17 T	PETN	10.159	9.631 E3	5.2	82	0.11

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070513\HL005507.D Vial: 1
 Acq On : 05-Jul-2013, 18:33 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Tue Jul 02 16:59:51 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------