

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070513\HL005507.D Vial: 1
 Acq On : 05-Jul-2013, 18:33 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Tue Jul 02 16:59:51 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	519.334	-3.9	102	0.04
2 T	HMX	500.000	456.554	8.7	95	0.02
3 T	RDX	500.000	515.851	-3.2	102	0.05
4 T	1,3,5-Trinitrobenzene	500.000	499.059	0.2	100	0.06
5 T	1,3-Dinitrobenzene	500.000	517.068	-3.4	100	0.06
6 T	3,5-Dinitroaniline	500.000	471.781	5.6	97	0.06
7 T	Nitrobenzene	500.000	464.736	7.1	92	0.08
8 T	Tetryl	500.000	504.612	-0.9	105	0.06
9 T	2,4,6-Trinitrotoluene	500.000	490.783	1.8	92	0.02
10 T	2-Amino-4,6-dinitrotoluene	500.000	415.348	16.9	88	-0.03
11 T	4-Amino-2,6-dinitrotoluene	500.000	489.789	2.0	100	-0.03
12 T	2,4-Dinitrotoluene	500.000	484.621	3.1	95	-0.04
13 T	2,6-Dinitrotoluene	500.000	486.035	2.8	99	-0.05
14 T	2-Nitrotoluene	500.000	469.441	6.1	90	-0.04
15 T	4-Nitrotoluene	500.000	489.896	2.0	98	-0.03
16 T	3-Nitrotoluene	500.000	468.244	6.4	96	-0.01
17 T	PETN	500.000	516.057	-3.2	82	0.11

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070513\HL005507.D Vial: 1
 Acq On : 05-Jul-2013, 18:33 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Tue Jul 02 16:59:51 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------