

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070513\HL005517.D Vial: 1
 Acq On : 05-Jul-2013, 23:03 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Tue Jul 02 16:59:51 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	4.050	4.232 E3	-4.5	103	0.04
2 T	HMX	4.606	4.171 E3	9.4	94	0.02
3 T	RDX	5.046	5.201 E3	-3.1	101	0.03
4 T	1,3,5-Trinitrobenzene	11.148	11.179 E3	-0.3	101	0.03
5 T	1,3-Dinitrobenzene	15.624	16.580 E3	-6.1	103	0.03
6 T	3,5-Dinitroaniline	13.968	13.666 E3	2.2	100	0.04
7 T	Nitrobenzene	9.954	9.348 E3	6.1	93	0.06
8 T	Tetryl	6.356	6.226 E3	2.0	102	0.04
9 T	2,4,6-Trinitrotoluene	11.742	12.741 E3	-8.5	101	0.00
10 T	2-Amino-4,6-dinitrotoluene	11.757	10.204 E3	13.2	92	-0.05
11 T	4-Amino-2,6-dinitrotoluene	5.764	6.572 E3	-14.0	104	-0.06
12 T	2,4-Dinitrotoluene	14.968	15.065 E3	-0.6	99	-0.08
13 T	2,6-Dinitrotoluene	8.365	8.583 E3	-2.6	104	-0.07
14 T	2-Nitrotoluene	6.383	5.573 E3	12.7	84	-0.08
15 T	4-Nitrotoluene	5.395	4.868 E3	9.8	90	-0.08
16 T	3-Nitrotoluene	6.949	6.489 E3	6.6	95	-0.06
17 T	PETN	10.159	10.300 E3	-1.4	88	0.15

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070513\HL005517.D Vial: 1
 Acq On : 05-Jul-2013, 23:03 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Tue Jul 02 16:59:51 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------