

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070913\HL005518.D Vial: 1
 Acq On : 09-Jul-2013, 12:36 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Tue Jul 02 16:59:51 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	4.050	4.328 E3	-6.9	105	0.00
2 T	HMX	4.606	4.030 E3	12.5	91	0.00
3 T	RDX	5.046	5.294 E3	-4.9	103	0.00
4 T	1,3,5-Trinitrobenzene	11.148	11.047 E3	0.9	100	-0.02
5 T	1,3-Dinitrobenzene	15.624	16.109 E3	-3.1	100	-0.06
6 T	3,5-Dinitroaniline	13.968	13.886 E3	0.6	102	-0.08
7 T	Nitrobenzene	9.954	10.165 E3	-2.1	101	-0.06
8 T	Tetryl	6.356	5.649 E3	11.1	92	-0.26
9 T	2,4,6-Trinitrotoluene	11.742	13.418 E3	-14.3	107	-0.18
10 T	2-Amino-4,6-dinitrotoluene	11.757	12.308 E3	-4.7	110	-0.20
11 T	4-Amino-2,6-dinitrotoluene	5.764	6.773 E3	-17.5	107	-0.22
12 T	2,4-Dinitrotoluene	14.968	15.858 E3	-5.9	104	-0.20
13 T	2,6-Dinitrotoluene	8.365	8.463 E3	-1.2	103	-0.22
14 T	2-Nitrotoluene	6.383	6.812 E3	-6.7	103	-0.33
15 T	4-Nitrotoluene	5.395	5.643 E3	-4.6	104	-0.37
16 T	3-Nitrotoluene	6.949	6.855 E3	1.4	101	-0.39
17 T	PETN	10.159	9.973 E3	1.8	85	-0.54#

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070913\HL005518.D Vial: 1
 Acq On : 09-Jul-2013, 12:36 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Tue Jul 02 16:59:51 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------