

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070913\HL005518.D Vial: 1
 Acq On : 09-Jul-2013, 12:36 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Tue Jul 02 16:59:51 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	534.306	-6.9	105	0.00
2 T	HMX	500.000	437.487	12.5	91	0.00
3 T	RDX	500.000	524.554	-4.9	103	0.00
4 T	1,3,5-Trinitrobenzene	500.000	495.485	0.9	100	-0.02
5 T	1,3-Dinitrobenzene	500.000	515.501	-3.1	100	-0.06
6 T	3,5-Dinitroaniline	500.000	497.056	0.6	102	-0.08
7 T	Nitrobenzene	500.000	510.589	-2.1	101	-0.06
8 T	Tetryl	500.000	444.330	11.1	92	-0.26
9 T	2,4,6-Trinitrotoluene	500.000	571.352	-14.3	107	-0.18
10 T	2-Amino-4,6-dinitrotoluene	500.000	523.440	-4.7	110	-0.20
11 T	4-Amino-2,6-dinitrotoluene	500.000	523.757	-4.8	107	-0.22
12 T	2,4-Dinitrotoluene	500.000	529.723	-5.9	104	-0.20
13 T	2,6-Dinitrotoluene	500.000	505.881	-1.2	103	-0.22
14 T	2-Nitrotoluene	500.000	533.599	-6.7	103	-0.33
15 T	4-Nitrotoluene	500.000	522.957	-4.6	104	-0.37
16 T	3-Nitrotoluene	500.000	493.230	1.4	101	-0.39
17 T	PETN	500.000	535.936	-7.2	85	-0.54#

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070913\HL005518.D Vial: 1
 Acq On : 09-Jul-2013, 12:36 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Tue Jul 02 16:59:51 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------