

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070913\HL005529.D Vial: 1
 Acq On : 09-Jul-2013, 17:54 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Tue Jul 02 16:59:51 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	531.976	-6.4	105	-0.02
2 T	HMX	500.000	448.030	10.4	93	-0.01
3 T	RDX	500.000	525.381	-5.1	103	-0.03
4 T	1,3,5-Trinitrobenzene	500.000	486.298	2.7	98	-0.06
5 T	1,3-Dinitrobenzene	500.000	503.749	-0.7	98	-0.12
6 T	3,5-Dinitroaniline	500.000	481.152	3.8	99	-0.15
7 T	Nitrobenzene	500.000	490.477	1.9	97	-0.16
8 T	Tetryl	500.000	424.200	15.2	88	-0.41
9 T	2,4,6-Trinitrotoluene	500.000	533.387	-6.7	99	-0.35
10 T	2-Amino-4,6-dinitrotoluene	500.000	471.037	5.8	99	-0.44
11 T	4-Amino-2,6-dinitrotoluene	500.000	482.267	3.5	99	-0.48
12 T	2,4-Dinitrotoluene	500.000	498.053	0.4	98	-0.51#
13 T	2,6-Dinitrotoluene	500.000	487.260	2.5	99	-0.55#
14 T	2-Nitrotoluene	500.000	519.156	-3.8	100	-0.74#
15 T	4-Nitrotoluene	500.000	500.847	-0.2	100	-0.79#
16 T	3-Nitrotoluene	500.000	495.992	0.8	101	-0.81#
17 T	PETN	500.000	541.140	-8.2	86	-1.14#

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070913\HL005529.D Vial: 1
 Acq On : 09-Jul-2013, 17:54 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Tue Jul 02 16:59:51 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------