

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070913\HL005534.D Vial: 1
 Acq On : 09-Jul-2013, 20:09 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Tue Jul 02 16:59:51 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	509.553	-1.9	101	-0.06
2 T	HMX	500.000	411.743	17.7	85	-0.03
3 T	RDX	500.000	521.334	-4.3	103	-0.07
4 T	1,3,5-Trinitrobenzene	500.000	490.294	1.9	99	-0.10
5 T	1,3-Dinitrobenzene	500.000	511.028	-2.2	99	-0.15
6 T	3,5-Dinitroaniline	500.000	484.773	3.0	100	-0.17
7 T	Nitrobenzene	500.000	489.847	2.0	97	-0.18
8 T	Tetryl	500.000	407.179	18.6	85	-0.39
9 T	2,4,6-Trinitrotoluene	500.000	535.873	-7.2	100	-0.36
10 T	2-Amino-4,6-dinitrotoluene	500.000	466.628	6.7	98	-0.44
11 T	4-Amino-2,6-dinitrotoluene	500.000	485.219	3.0	100	-0.48
12 T	2,4-Dinitrotoluene	500.000	504.175	-0.8	99	-0.48
13 T	2,6-Dinitrotoluene	500.000	476.464	4.7	97	-0.50#
14 T	2-Nitrotoluene	500.000	511.955	-2.4	98	-0.70#
15 T	4-Nitrotoluene	500.000	496.514	0.7	99	-0.76#
16 T	3-Nitrotoluene	500.000	481.758	3.6	98	-0.80#
17 T	PETN	500.000	563.270	-12.7	89	-1.11#

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_L\DATA\HL070913\HL005534.D Vial: 1
 Acq On : 09-Jul-2013, 20:09 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL070213.M
 Title :
 Last Update : Tue Jul 02 16:59:51 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------