

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_L\DATA\HL071113\HL005542.D Vial: 7
 Acq On : 11-Jul-2013, 21:24 Operator: QM
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 ClientSampleId :
 ICVHL071113

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL071113.M
 Title :
 Last Update : Fri Jul 12 04:48:32 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	500.724	-0.1	93	0.00
2 T	HMX	500.000	422.202	15.6	89	0.00
3 T	RDX	500.000	444.677	11.1	87	-0.01
4 T	1,3,5-Trinitrobenzene	500.000	447.193	10.6	88	-0.03
5 T	1,3-Dinitrobenzene	500.000	452.559	9.5	90	-0.02
6 T	3,5-Dinitroaniline	500.000	485.397	2.9	96	0.00
7 T	Nitrobenzene	500.000	447.884	10.4	85	-0.03
8 T	Tetryl	500.000	561.476	-12.3	109	-0.10
9 T	2,4,6-Trinitrotoluene	500.000	453.571	9.3	89	-0.06
10 T	2-Amino-4,6-dinitrotoluene	500.000	436.939	12.6	90	-0.04
11 T	4-Amino-2,6-dinitrotoluene	500.000	575.639	-15.1	105	-0.03
12 T	2,4-Dinitrotoluene	500.000	448.565	10.3	88	-0.03
13 T	2,6-Dinitrotoluene	500.000	509.845	-2.0	96	-0.03
14 T	2-Nitrotoluene	500.000	508.973	-1.8	94	-0.06
15 T	4-Nitrotoluene	500.000	518.587	-3.7	96	-0.06
16 T	3-Nitrotoluene	500.000	531.164	-6.2	102	-0.06
17 T	PETN	500.000	578.824	-15.8	95	-0.01

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_L\DATA\HL071113\HL005542.D Vial: 7
 Acq On : 11-Jul-2013, 21:24 Operator: QM
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 ClientSampleId :
 ICVHL071113

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL071113.M
 Title :
 Last Update : Fri Jul 12 04:48:32 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------