

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_L\DATA\HL071113\HL005543.D Vial: 4
 Acq On : 11-Jul-2013, 21:51 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL071113.M
 Title :
 Last Update : Fri Jul 12 04:48:32 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	530.203	-6.0	98	0.00
2 T	HMX	500.000	477.899	4.4	100	0.00
3 T	RDX	500.000	507.614	-1.5	99	-0.02
4 T	1,3,5-Trinitrobenzene	500.000	518.417	-3.7	102	-0.02
5 T	1,3-Dinitrobenzene	500.000	510.444	-2.1	102	0.00
6 T	3,5-Dinitroaniline	500.000	501.431	-0.3	99	0.00
7 T	Nitrobenzene	500.000	534.770	-7.0	102	-0.01
8 T	Tetryl	500.000	524.994	-5.0	102	-0.02
9 T	2,4,6-Trinitrotoluene	500.000	507.495	-1.5	100	-0.01
10 T	2-Amino-4,6-dinitrotoluene	500.000	490.361	1.9	101	-0.02
11 T	4-Amino-2,6-dinitrotoluene	500.000	545.604	-9.1	99	-0.01
12 T	2,4-Dinitrotoluene	500.000	515.705	-3.1	101	-0.03
13 T	2,6-Dinitrotoluene	500.000	540.754	-8.2	101	-0.02
14 T	2-Nitrotoluene	500.000	538.497	-7.7	99	-0.02
15 T	4-Nitrotoluene	500.000	530.581	-6.1	99	-0.04
16 T	3-Nitrotoluene	500.000	525.287	-5.1	101	-0.06
17 T	PETN	500.000	487.134	2.6	80	0.00

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_L\DATA\HL071113\HL005543.D Vial: 4
 Acq On : 11-Jul-2013, 21:51 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL071113.M
 Title :
 Last Update : Fri Jul 12 04:48:32 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------