

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_L\DATA\HL071113\HL005554.D Vial: 4
 Acq On : 12-Jul-2013, 02:47 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL071113.M
 Title :
 Last Update : Fri Jul 12 04:48:32 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.983	4.303 E3	-8.0	100	0.01
2 T	HMX	4.102	3.862 E3	5.9	99	0.02
3 T	RDX	5.081	5.197 E3	-2.3	100	0.00
4 T	1,3,5-Trinitrobenzene	10.976	11.160 E3	-1.7	100	0.00
5 T	1,3-Dinitrobenzene	15.618	16.329 E3	-4.6	104	0.02
6 T	3,5-Dinitroaniline	13.302	13.658 E3	-2.7	102	0.03
7 T	Nitrobenzene	9.449	10.166 E3	-7.6	102	0.02
8 T	Tetryl	5.668	5.716 E3	-0.8	98	0.02
9 T	2,4,6-Trinitrotoluene	11.816	12.756 E3	-8.0	106	0.04
10 T	2-Amino-4,6-dinitrotoluene	11.049	10.712 E3	3.1	100	0.05
11 T	4-Amino-2,6-dinitrotoluene	5.586	5.996 E3	-7.3	98	0.06
12 T	2,4-Dinitrotoluene	14.682	14.888 E3	-1.4	99	0.05
13 T	2,6-Dinitrotoluene	7.654	7.879 E3	-2.9	96	0.05
14 T	2-Nitrotoluene	6.170	5.790 E3	6.2	87	0.09
15 T	4-Nitrotoluene	5.072	4.717 E3	7.0	86	0.08
16 T	3-Nitrotoluene	6.309	6.592 E3	-4.5	100	0.07
17 T	PETN	9.560	9.109 E3	4.7	78	0.22

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_L\DATA\HL071113\HL005554.D Vial: 4
 Acq On : 12-Jul-2013, 02:47 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL071113.M
 Title :
 Last Update : Fri Jul 12 04:48:32 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------