

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_L\DATA\HL071113\HL005554.D Vial: 4
 Acq On : 12-Jul-2013, 02:47 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL071113.M
 Title :
 Last Update : Fri Jul 12 04:48:32 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	540.204	-8.0	100	0.01
2 T	HMX	500.000	470.769	5.8	99	0.02
3 T	RDX	500.000	511.444	-2.3	100	0.00
4 T	1,3,5-Trinitrobenzene	500.000	508.387	-1.7	100	0.00
5 T	1,3-Dinitrobenzene	500.000	522.766	-4.6	104	0.02
6 T	3,5-Dinitroaniline	500.000	513.382	-2.7	102	0.03
7 T	Nitrobenzene	500.000	537.905	-7.6	102	0.02
8 T	Tetryl	500.000	504.257	-0.9	98	0.02
9 T	2,4,6-Trinitrotoluene	500.000	539.763	-8.0	106	0.04
10 T	2-Amino-4,6-dinitrotoluene	500.000	484.750	3.1	100	0.05
11 T	4-Amino-2,6-dinitrotoluene	500.000	536.689	-7.3	98	0.06
12 T	2,4-Dinitrotoluene	500.000	507.027	-1.4	99	0.05
13 T	2,6-Dinitrotoluene	500.000	514.714	-2.9	96	0.05
14 T	2-Nitrotoluene	500.000	469.215	6.2	87	0.09
15 T	4-Nitrotoluene	500.000	465.008	7.0	86	0.08
16 T	3-Nitrotoluene	500.000	522.447	-4.5	100	0.07
17 T	PETN	500.000	476.442	4.7	78	0.22

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_L\DATA\HL071113\HL005554.D Vial: 4
 Acq On : 12-Jul-2013, 02:47 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL071113.M
 Title :
 Last Update : Fri Jul 12 04:48:32 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------