

Data Path : S:\HPCHEM1\HPLC_L\Data\HL081512\
 Data File : HL003365.D
 Signal(s) : VWD1A.CH
 Acq On : 15-Aug-2012, 12:27
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Aug 22 01:16:35 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL080312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Mon Aug 06 10:00:24 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.404	3868187	1054.686 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 351.56%#
Target Compounds			
2) T HMX	0.938	3991612	982.003 ug/L
3) T RDX	1.817	5358588	1049.658 ug/L
4) T 1,3,5-Trinitrobenzene	2.839	5894351	486.459 ug/L
5) T Tetryl	6.575	8643413	1000.595 ug/L
6) T 2,4,6-Trinitrotoluene	6.919	5511957	501.643 ug/L
7) T 2-Amino-4,6-dinitroto...	7.444	5335769	525.319 ug/L
8) T 4-Amino-2,6-dinitroto...	7.820	3564972	499.061 ug/L
9) T 2,4-Dinitrotoluene	8.651	7620763	505.096 ug/L
10) T 2,6-Dinitrotoluene	9.072	4109319	484.706 ug/L
11) T 1,3-Dinitrobenzene	3.774	8174029	508.171 ug/L
12) T Nitrobenzene	5.079	5145840	490.936 ug/L
13) T 2-Nitrotoluene	12.501	6609816	1000.723 ug/L
14) T 3-Nitrotoluene	14.642	7016496	1006.395 ug/L
15) T 4-Nitrotoluene	13.310	5565763	1010.858 ug/L
16) T 3,5-Dinitroaniline	4.143	14075105	1012.962 ug/L
18) T PETN	20.011	22596457	2303.315 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL081512\
Data File : HL003365.D
Signal(s) : VWD1A.CH
Acq On : 15-Aug-2012, 12:27
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Aug 22 01:16:35 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL080312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Mon Aug 06 10:00:24 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

