

Data Path : S:\HPCHEM1\HPLC_L\Data\HL081512\
 Data File : HL003367.D
 Signal(s) : VWD1A.CH
 Acq On : 15-Aug-2012, 13:21
 Operator : HLM
 Sample : PB64014BS
 Misc :
 ALS Vial : 42 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Aug 22 01:16:46 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL080312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Mon Aug 06 10:00:24 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.401	1178392	321.296 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 107.10%
Target Compounds			
2) T HMX	0.937	839464	206.522 ug/L
3) T RDX	1.814	1139282	223.166 ug/L
4) T 1,3,5-Trinitrobenzene	2.834	2575825	212.582 ug/L
5) T Tetryl	6.553	1657664	191.898 ug/L
6) T 2,4,6-Trinitrotoluene	6.901	2745393	249.858 ug/L
7) T 2-Amino-4,6-dinitroto...	7.418	2352095	231.569 ug/L
8) T 4-Amino-2,6-dinitroto...	7.792	1664410	233.001 ug/L
9) T 2,4-Dinitrotoluene	8.627	3406951	225.809 ug/L
10) T 2,6-Dinitrotoluene	9.047	1749063	206.307 ug/L
11) T 1,3-Dinitrobenzene	3.767	3634800	225.972 ug/L
12) T Nitrobenzene	5.071	2235707	213.296 ug/L
13) T 2-Nitrotoluene	12.476	1442241	218.355 ug/L
14) T 3-Nitrotoluene	14.628	1620222	232.393 ug/L
15) T 4-Nitrotoluene	13.291	1155967	209.948 ug/L
16) T 3,5-Dinitroaniline	4.129	2898002	208.564 ug/L
18) T PETN	19.989	1936920	197.435 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL081512\
Data File : HL003367.D
Signal(s) : VWD1A.CH
Acq On : 15-Aug-2012, 13:21
Operator : HLM
Sample : PB64014BS
Misc :
ALS Vial : 42 Sample Multiplier: 1

Integration File: events.e
Quant Time: Aug 22 01:16:46 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL080312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Mon Aug 06 10:00:24 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

