

Data Path : S:\HPCHEM1\HPLC_L\Data\HL081512\
 Data File : HL003368.D
 Signal(s) : VWD1A.CH
 Acq On : 15-Aug-2012, 13:48
 Operator : HLM
 Sample : PB64014BSD
 Misc :
 ALS Vial : 43 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Aug 20 03:20:58 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL080312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Mon Aug 06 10:00:24 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.402	1094465	298.413 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 99.47%
Target Compounds			
2) T HMX	0.938	814566	200.397 ug/L
3) T RDX	1.815	1116013	218.608 ug/L
4) T 1,3,5-Trinitrobenzene	2.837	2527376	208.584 ug/L
5) T Tetryl	6.559	1584095	183.381 ug/L
6) T 2,4,6-Trinitrotoluene	6.907	2615960	238.079 ug/L
7) T 2-Amino-4,6-dinitroto...	7.429	2196209	216.222 ug/L
8) T 4-Amino-2,6-dinitroto...	7.797	1549644	216.935 ug/L
9) T 2,4-Dinitrotoluene	8.638	3289977	218.056 ug/L
10) T 2,6-Dinitrotoluene	9.055	1708696	201.546 ug/L
11) T 1,3-Dinitrobenzene	3.770	3565882	221.687 ug/L
12) T Nitrobenzene	5.074	2178842	207.871 ug/L
13) T 2-Nitrotoluene	12.487	1430892	216.636 ug/L
14) T 3-Nitrotoluene	14.644	1467936	210.550 ug/L
15) T 4-Nitrotoluene	13.298	1168494	212.223 ug/L
16) T 3,5-Dinitroaniline	4.132	2834345	203.983 ug/L
18) T PETN	20.017	1879501	191.582 ug/L


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL081512\
Data File : HL003368.D
Signal(s) : VWD1A.CH
Acq On : 15-Aug-2012, 13:48
Operator : HLM
Sample : PB64014BSD
Misc :
ALS Vial : 43 Sample Multiplier: 1

Integration File: events.e
Quant Time: Aug 20 03:20:58 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL080312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Mon Aug 06 10:00:24 2012
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. :
Signal Phase :
Signal Info :






#1 4-Nitroaniline

R.T.: 1.402 min
Delta R.T.: 0.000 min
Response: 1094465
Conc: 298.41 ug/L




#2 HMX

R.T.: 0.938 min
Delta R.T.: 0.002 min
Response: 814566
Conc: 200.40 ug/L




#3 RDX

R.T.: 1.815 min
Delta R.T.: 0.000 min
Response: 1116013
Conc: 218.61 ug/L




#4 1,3,5-Trinitrobenzene

R.T.: 2.837 min
Delta R.T.: 0.000 min
Response: 2527376
Conc: 208.58 ug/L




#5 Tetryl

R.T.: 6.559 min
Delta R.T.: -0.014 min
Response: 1584095
Conc: 183.38 ug/L




#6 2,4,6-Trinitrotoluene

R.T.: 6.907 min
Delta R.T.: -0.010 min
Response: 2615960
Conc: 238.08 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 7.429 min
Delta R.T.: -0.014 min
Response: 2196209
Conc: 216.22 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 7.797 min
Delta R.T.: -0.021 min
Response: 1549644
Conc: 216.93 ug/L




#9 2,4-Dinitrotoluene

R.T.: 8.638 min
Delta R.T.: -0.012 min
Response: 3289977
Conc: 218.06 ug/L




#10 2,6-Dinitrotoluene

R.T.: 9.055 min
Delta R.T.: -0.016 min
Response: 1708696
Conc: 201.55 ug/L




#11 1,3-Dinitrobenzene

R.T.: 3.770 min
Delta R.T.: -0.002 min
Response: 3565882
Conc: 221.69 ug/L




#12 Nitrobenzene

R.T.: 5.074 min
Delta R.T.: -0.004 min
Response: 2178842
Conc: 207.87 ug/L




#13 2-Nitrotoluene

R.T.: 12.487 min
Delta R.T.: -0.012 min
Response: 1430892
Conc: 216.64 ug/L




#14 3-Nitrotoluene

R.T.: 14.644 min
Delta R.T.: 0.007 min
Response: 1467936
Conc: 210.55 ug/L




#15 4-Nitrotoluene

R.T.: 13.298 min
Delta R.T.: -0.011 min
Response: 1168494
Conc: 212.22 ug/L



#16 3,5-Dinitroaniline

R.T.: 4.132 min
Delta R.T.: -0.008 min
Response: 2834345
Conc: 203.98 ug/L



#18 PETN

R.T.: 20.017 min
Delta R.T.: 0.008 min
Response: 1879501
Conc: 191.58 ug/L