

Data Path : S:\HPCHEM1\HPLC_L\Data\HL082112\
 Data File : HL003407.D
 Signal(s) : VWD1A.CH
 Acq On : 21-Aug-2012, 14:31
 Operator : HLM
 Sample : D3778-01MS1
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Aug 25 04:08:53 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL080312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Thu Aug 23 16:30:31 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.372	679598	185.297 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 61.77%
Target Compounds			
2) T HMX	0.918	694372	170.827 ug/L
3) T RDX	1.769	792817	155.300 ug/L
4) T 1,3,5-Trinitrobenzene	2.774	1766505	145.789 ug/L
5) T Tetryl	6.304	734234	84.998 ug/L
6) T 2,4,6-Trinitrotoluene	6.694	1975970	179.833 ug/L
7) T 2-Amino-4,6-dinitroto...	7.144	1632379	160.711 ug/L
8) T 4-Amino-2,6-dinitroto...	7.478	1170236	163.822 ug/L
9) T 2,4-Dinitrotoluene	8.360	2410170	159.743 ug/L
10) T 2,6-Dinitrotoluene	8.751	1311067	154.644 ug/L
11) T 1,3-Dinitrobenzene	3.679	2538992	157.846 ug/L
12) T Nitrobenzene	4.947	1466977	139.956 ug/L
13) T 2-Nitrotoluene	12.072	929918	140.789 ug/L
14) T 3-Nitrotoluene	14.154	1024743	146.982 ug/L
15) T 4-Nitrotoluene	12.872	800267	145.345 ug/L
16) T 3,5-Dinitroaniline	4.009	2275426	163.759 ug/L
18) T PETN	19.274	1324557	135.016 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL082112\
Data File : HL003407.D
Signal(s) : VWD1A.CH
Acq On : 21-Aug-2012, 14:31
Operator : HLM
Sample : D3778-01MS1
Misc :
ALS Vial : 25 Sample Multiplier: 1

Integration File: events.e
Quant Time: Aug 25 04:08:53 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL080312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Thu Aug 23 16:30:31 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

