

Data Path : S:\HPCHEM1\HPLC_L\Data\HL082112\
 Data File : HL003409.D
 Signal(s) : VWD1A.CH
 Acq On : 21-Aug-2012, 15:25
 Operator : HLM
 Sample : D3778-01MSD1
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Aug 25 04:09:06 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL080312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Thu Aug 23 16:30:31 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.372	672270	183.299 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 61.10%
Target Compounds			
2) T HMX	0.917	598050	147.130 ug/L
3) T RDX	1.768	848816	166.269 ug/L
4) T 1,3,5-Trinitrobenzene	2.772	1747728	144.239 ug/L
5) T Tetryl	6.296	840061	97.249 ug/L
6) T 2,4,6-Trinitrotoluene	6.692	1935901	176.186 ug/L
7) T 2-Amino-4,6-dinitroto...	7.137	1599800	157.504 ug/L
8) T 4-Amino-2,6-dinitroto...	7.477	1167973	163.505 ug/L
9) T 2,4-Dinitrotoluene	8.357	2342057	155.229 ug/L
10) T 2,6-Dinitrotoluene	8.740	1290459	152.213 ug/L
11) T 1,3-Dinitrobenzene	3.676	2532644	157.452 ug/L
12) T Nitrobenzene	4.945	1490289	142.180 ug/L
13) T 2-Nitrotoluene	12.074	991554	150.121 ug/L
14) T 3-Nitrotoluene	14.152	1150737	165.053 ug/L
15) T 4-Nitrotoluene	12.865	830800	150.890 ug/L
16) T 3,5-Dinitroaniline	4.005	2177957	156.744 ug/L
18) T PETN	19.279	1312420	133.778 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL082112\
Data File : HL003409.D
Signal(s) : VWD1A.CH
Acq On : 21-Aug-2012, 15:25
Operator : HLM
Sample : D3778-01MSD1
Misc :
ALS Vial : 27 Sample Multiplier: 1

Integration File: events.e
Quant Time: Aug 25 04:09:06 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL080312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Thu Aug 23 16:30:31 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

