

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL091912.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Thu Sep 20 09:22:34 2012
 Response via : Initial Calibration

Instrument :
 HPLC_L
 ClientSampleId :
 ICVHL091912

Continuing Calibration File: HL003465.D

Min. RRF : 0.000 Min. Rel. Area : 50%
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF		%Dev	Area%
1 S	4-Nitroaniline	3.716	0.000	E3	100.0#	-0#
2 T	HMX	3.912	3.986	E3	-1.9	99
3 T	RDX	5.200	5.423	E3	-4.3	103
4 T	1,3,5-Trinitrobenzene	12.140	11.956	E3	1.5	203#
5 T	Tetryl	8.535	8.668	E3	-1.6	104
6 T	2,4,6-Trinitrotoluene	11.268	11.560	E3	-2.6	212#
7 T	2-Amino-4,6-dinitrotoluene	10.886	10.793	E3	0.8	200#
8 T	4-Amino-2,6-dinitrotoluene	6.911	7.388	E3	-6.9	210#
9 T	2,4-Dinitrotoluene	15.094	14.496	E3	4.0	195#
10 T	2,6-Dinitrotoluene	8.704	8.298	E3	4.7	200#
11 T	1,3-Dinitrobenzene	15.843	16.038	E3	-1.2	202#
12 T	Nitrobenzene	10.281	10.268	E3	0.1	202#
13 T	2-Nitrotoluene	6.595	6.587	E3	0.1	101
14 T	3-Nitrotoluene	7.072	6.999	E3	1.0	97
15 T	4-Nitrotoluene	5.520	5.595	E3	-1.4	100
16 T	3,5-Dinitroaniline	15.294	13.552	E3	11.4	94
17 T	Nitroglycerin	56.791	0.000		100.0#	-0#
18 T	PETN	9.675	8.959	E3	7.4	41#