

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL091912.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Thu Sep 20 09:33:15 2012
 Response via : Initial Calibration

Instrument :
 HPLC_L
 ClientSampleId :
 8330NG-MRL

Continuing Calibration File: HL003473.D

Min. RRF : 0.000 Min. Rel. Area : 50%
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF		%Dev	Area%
1 S	4-Nitroaniline	3.716	0.000	E3	100.0#	-0#
2 T	HMX	3.912	0.000	E3	100.0#	-0#
3 T	RDX	5.200	0.000	E3	100.0#	-0#
4 T	1,3,5-Trinitrobenzene	12.140	0.000	E3	100.0#	-0#
5 T	Tetryl	8.535	0.000	E3	100.0#	-0#
6 T	2,4,6-Trinitrotoluene	11.268	0.000	E3	100.0#	-0#
7 T	2-Amino-4,6-dinitrotoluene	10.886	0.000	E3	100.0#	-0#
8 T	4-Amino-2,6-dinitrotoluene	6.911	0.000	E3	100.0#	-0#
9 T	2,4-Dinitrotoluene	15.094	0.000	E3	100.0#	-0#
10 T	2,6-Dinitrotoluene	8.704	0.000	E3	100.0#	-0#
11 T	1,3-Dinitrobenzene	15.843	0.000	E3	100.0#	-0#
12 T	Nitrobenzene	10.281	0.000	E3	100.0#	-0#
13 T	2-Nitrotoluene	6.595	0.000	E3	100.0#	-0#
14 T	3-Nitrotoluene	7.072	0.000	E3	100.0#	-0#
15 T	4-Nitrotoluene	5.520	0.000	E3	100.0#	-0#
16 T	3,5-Dinitroaniline	15.294	0.000	E3	100.0#	-0#
17 T	Nitroglycerin	56.791	62.722		-10.4	11#
18 T	PETN	9.675	0.000	E3	100.0#	-0#