

Data File : H:\VOL1\HPLC\HPLC_L\120919\HL003485.D Vial: 11
Acq On : 20-Sep-2012, 00:38 Operator: HLM
Sample : 8330NG-CCV Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e

Instrument :
HPLC_L
LabSampleId :
8330NG-CCV

Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL091912.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Thu Sep 20 08:22:23 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	56.791	56.243	1.0	0#	0.03

Data File : H:\VOL1\HPLC\HPLC L\120919\HL003485.D
 Acq On : 20-Sep-2012, 00:38
 Sample : 8330NG-CCV
 Misc :
 IntFile : events.e

Vial: 11
 Operator: HLM
 Inst : G1314A
 Multiplr: 1.00

Instrument :
 HPLC_L
 LabSampleId :
 8330NG-CCV

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL091912.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Thu Sep 20 08:22:23 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.716	0.000 E3	100.0#	0#	-1.33#
2 T	HMX	3.912	0.000 E3	100.0#	0#	-0.90#
3 T	RDX	5.200	0.000 E3	100.0#	0#	-1.72#
4 T	1,3,5-Trinitrobenzene	12.140	0.000 E3	100.0#	0#	-2.68#
5 T	Tetryl	8.535	0.000 E3	100.0#	0#	-6.00#
6 T	2,4,6-Trinitrotoluene	11.268	0.000 E3	100.0#	0#	-6.40#
7 T	2-Amino-4,6-dinitrotoluene	10.886	0.000 E3	100.0#	0#	-6.83#
8 T	4-Amino-2,6-dinitrotoluene	6.911	0.000 E3	100.0#	0#	-7.13#
9 T	2,4-Dinitrotoluene	15.094	0.000 E3	100.0#	0#	-7.99#
10 T	2,6-Dinitrotoluene	8.704	0.000 E3	100.0#	0#	-8.34#
11 T	1,3-Dinitrobenzene	15.843	0.000 E3	100.0#	0#	-3.55#
12 T	Nitrobenzene	10.281	0.000 E3	100.0#	0#	-4.77#
13 T	2-Nitrotoluene	6.595	0.000 E3	100.0#	0#	-11.51#
14 T	3-Nitrotoluene	7.072	0.000 E3	100.0#	0#	-13.48#
15 T	4-Nitrotoluene	5.520	0.000 E3	100.0#	0#	-12.25#
16 T	3,5-Dinitroaniline	15.294	0.000 E3	100.0#	0#	-3.87#
18 T	PETN	9.675	0.000 E3	100.0#	0#	-18.31#