

Data File : H:\VOL1\HPLC\HPLC\_L\120919\HL003498.D Vial: 11  
Acq On : 20-Sep-2012, 06:28 Operator: HLM  
Sample : 8330NG-CCV Inst : G1314A  
Misc : Multiplr: 1.00  
IntFile : events.e

Instrument :  
HPLC\_L  
LabSampleId :  
8330NG-CCV

Method : H:\VOL1\HPLC\HPLC\_L\METHODS\HL091912.M (Chemstation Integrator)  
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)  
Last Update : Thu Sep 20 08:22:23 2012  
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
Max. RRF Dev : 20% Max. Rel. Area : 150%

|      | Compound      | AvqRF  | CCRF   | %Dev | Area% | Dev(min) |
|------|---------------|--------|--------|------|-------|----------|
| 17 T | Nitroglycerin | 56.791 | 59.449 | -4.7 | 0#    | 0.02     |

Data File : H:\VOL1\HPLC\HPLC L\120919\HL003498.D  
 Acq On : 20-Sep-2012, 06:28  
 Sample : 8330NG-CCV  
 Misc :  
 IntFile : events.e

Vial: 11  
 Operator: HLM  
 Inst : G1314A  
 Multiplr: 1.00

Instrument :  
 HPLC\_L  
 LabSampleId :  
 8330NG-CCV

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL091912.M (Chemstation Integrator)  
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)  
 Last Update : Thu Sep 20 08:22:23 2012  
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 20% Max. Rel. Area : 150%

|      | Compound                   | AvqRF  | CCRF     | %Dev   | Area% | Dev(min) |
|------|----------------------------|--------|----------|--------|-------|----------|
| 1 S  | 4-Nitroaniline             | 3.716  | 0.000 E3 | 100.0# | 0#    | -1.33#   |
| 2 T  | HMX                        | 3.912  | 0.000 E3 | 100.0# | 0#    | -0.90#   |
| 3 T  | RDX                        | 5.200  | 0.000 E3 | 100.0# | 0#    | -1.72#   |
| 4 T  | 1,3,5-Trinitrobenzene      | 12.140 | 0.000 E3 | 100.0# | 0#    | -2.68#   |
| 5 T  | Tetryl                     | 8.535  | 0.000 E3 | 100.0# | 0#    | -6.00#   |
| 6 T  | 2,4,6-Trinitrotoluene      | 11.268 | 0.000 E3 | 100.0# | 0#    | -6.40#   |
| 7 T  | 2-Amino-4,6-dinitrotoluene | 10.886 | 0.000 E3 | 100.0# | 0#    | -6.83#   |
| 8 T  | 4-Amino-2,6-dinitrotoluene | 6.911  | 0.000 E3 | 100.0# | 0#    | -7.13#   |
| 9 T  | 2,4-Dinitrotoluene         | 15.094 | 0.000 E3 | 100.0# | 0#    | -7.99#   |
| 10 T | 2,6-Dinitrotoluene         | 8.704  | 0.000 E3 | 100.0# | 0#    | -8.34#   |
| 11 T | 1,3-Dinitrobenzene         | 15.843 | 0.000 E3 | 100.0# | 0#    | -3.55#   |
| 12 T | Nitrobenzene               | 10.281 | 0.000 E3 | 100.0# | 0#    | -4.77#   |
| 13 T | 2-Nitrotoluene             | 6.595  | 0.000 E3 | 100.0# | 0#    | -11.51#  |
| 14 T | 3-Nitrotoluene             | 7.072  | 0.000 E3 | 100.0# | 0#    | -13.48#  |
| 15 T | 4-Nitrotoluene             | 5.520  | 0.000 E3 | 100.0# | 0#    | -12.25#  |
| 16 T | 3,5-Dinitroaniline         | 15.294 | 0.000 E3 | 100.0# | 0#    | -3.87#   |
| 18 T | PETN                       | 9.675  | 0.000 E3 | 100.0# | 0#    | -18.31#  |