

Data File : H:\VOL1\HPLC\HPLC L\120925\HL003556.D
 Acq On : 26-Sep-2012, 03:39
 Sample : 8330-CCV
 Misc :
 IntFile : events.e

Vial: 2
 Operator: HLM
 Inst : G1314A
 Multiplr: 1.00

Instrument :
 HPLC_L
 LabSampleId :
 8330-CCV

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL091912.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Thu Sep 20 08:22:23 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.716	4.100 E3	-10.3	0#	0.00
2 T	HMX	3.912	4.046 E3	-3.4	0#	0.00
3 T	RDX	5.200	5.482 E3	-5.4	0#	0.00
4 T	1,3,5-Trinitrobenzene	12.140	11.636 E3	4.2	0#	-0.01
5 T	Tetryl	8.535	7.707 E3	9.7	0#	-0.03
6 T	2,4,6-Trinitrotoluene	11.268	11.472 E3	-1.8	0#	-0.03
7 T	2-Amino-4,6-dinitrotoluene	10.886	10.852 E3	0.3	0#	-0.03
8 T	4-Amino-2,6-dinitrotoluene	6.911	7.410 E3	-7.2	0#	-0.03
9 T	2,4-Dinitrotoluene	15.094	15.134 E3	-0.3	0#	-0.04
10 T	2,6-Dinitrotoluene	8.704	8.523 E3	2.1	0#	-0.04
11 T	1,3-Dinitrobenzene	15.843	16.325 E3	-3.0	0#	-0.01
12 T	Nitrobenzene	10.281	10.621 E3	-3.3	0#	-0.02
13 T	2-Nitrotoluene	6.595	6.447 E3	2.2	0#	-0.06
14 T	3-Nitrotoluene	7.072	6.956 E3	1.6	0#	-0.07
15 T	4-Nitrotoluene	5.520	5.504 E3	0.3	0#	-0.06
16 T	3,5-Dinitroaniline	15.294	15.632 E3	-2.2	0#	-0.02
18 T	PETN	9.675	9.037 E3	6.6	0#	-0.09

Data File : H:\VOL1\HPLC\HPLC L\120925\HL003556.D
Acq On : 26-Sep-2012, 03:39
Sample : 8330-CCV
Misc :
IntFile : events.e

Vial: 2
Operator: HLM
Inst : G1314A
Multiplr: 1.00

Instrument :
HPLC_L
LabSampleId :
8330-CCV

Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL091912.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Thu Sep 20 08:22:23 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	56.791	0.000	100.0#	0#	-6.02#