

Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC_L\DATA\HL100413\HL005584.D Vial: 7
 Acq On : 04-Oct-2013, 11:13 Operator: QM
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 ClientSampleId :
 ICVHL100413

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL100413.M
 Title :
 Last Update : Mon Oct 07 18:32:16 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	4.598	4.652 E3	-1.2	106	-0.11
2 T	HMX	4.444	4.468 E3	-0.5	100	-0.09
3 T	RDX	5.743	6.057 E3	-5.5	105	-0.12
4 T	1,3,5-Trinitrobenzene	11.774	12.077 E3	-2.6	101	-0.13
5 T	1,3-Dinitrobenzene	17.928	17.133 E3	4.4	92	-0.15
6 T	3,5-Dinitroaniline	13.666	13.476 E3	1.4	97	-0.15
7 T	Nitrobenzene	11.080	11.320 E3	-2.2	101	-0.15
8 T	Tetryl	5.879	6.113 E3	-4.0	109	-0.12
9 T	2,4,6-Trinitrotoluene	12.912	13.101 E3	-1.5	103	-0.15
10 T	2-Amino-4,6-dinitrotoluene	12.535	10.568 E3	15.7	83	-0.16
11 T	4-Amino-2,6-dinitrotoluene	5.622	5.967 E3	-6.1	93	-0.17
12 T	2,4-Dinitrotoluene	16.682	15.128 E3	9.3	90	-0.17
13 T	2,6-Dinitrotoluene	7.425	8.006 E3	-7.8	104	-0.17
14 T	2-Nitrotoluene	7.031	7.083 E3	-0.7	102	-0.26
15 T	4-Nitrotoluene	5.488	5.695 E3	-3.8	101	-0.29
16 T	3-Nitrotoluene	6.772	6.937 E3	-2.4	100	-0.31
17 T	PETN	14.870	12.192 E3	18.0	151#	-0.78#

Evaluate Continuing Calibration Report - Not Founds

Data File : Z:\HPCHEM1\HPLC_L\DATA\HL100413\HL005584.D Vial: 7
 Acq On : 04-Oct-2013, 11:13 Operator: QM
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 ClientSampleId :
 ICVHL100413

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL100413.M
 Title :
 Last Update : Mon Oct 07 18:32:16 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------