

Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC_L\DATA\HL100413\HL005584.D Vial: 7
 Acq On : 04-Oct-2013, 11:13 Operator: QM
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 ClientSampleId :
 ICVHL100413

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL100413.M
 Title :
 Last Update : Mon Oct 07 18:32:16 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	505.904	-1.2	106	-0.11
2 T	HMX	500.000	502.738	-0.5	100	-0.09
3 T	RDX	500.000	527.372	-5.5	105	-0.12
4 T	1,3,5-Trinitrobenzene	500.000	512.842	-2.6	101	-0.13
5 T	1,3-Dinitrobenzene	500.000	477.839	4.4	92	-0.15
6 T	3,5-Dinitroaniline	500.000	493.050	1.4	97	-0.15
7 T	Nitrobenzene	500.000	510.856	-2.2	101	-0.15
8 T	Tetryl	500.000	519.902	-4.0	109	-0.12
9 T	2,4,6-Trinitrotoluene	500.000	507.302	-1.5	103	-0.15
10 T	2-Amino-4,6-dinitrotoluene	500.000	421.533	15.7	83	-0.16
11 T	4-Amino-2,6-dinitrotoluene	500.000	485.116	3.0	93	-0.17
12 T	2,4-Dinitrotoluene	500.000	453.395	9.3	90	-0.17
13 T	2,6-Dinitrotoluene	500.000	539.132	-7.8	104	-0.17
14 T	2-Nitrotoluene	500.000	503.737	-0.7	102	-0.26
15 T	4-Nitrotoluene	500.000	518.843	-3.8	101	-0.29
16 T	3-Nitrotoluene	500.000	512.232	-2.4	100	-0.31
17 T	PETN	500.000	409.938	18.0	151	-0.78#

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC_L\DATA\HL100413\HL005584.D Vial: 7
 Acq On : 04-Oct-2013, 11:13 Operator: QM
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 ClientSampleId :
 ICVHL100413

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL100413.M
 Title :
 Last Update : Mon Oct 07 18:32:16 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------