

Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC_L\DATA\HL100413\HL005588.D Vial: 4
 Acq On : 04-Oct-2013, 13:22 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL100413.M
 Title :
 Last Update : Mon Oct 07 18:32:16 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	4.598	4.233 E3	7.9	97	-0.12
2 T	HMX	4.444	4.232 E3	4.8	94	-0.09
3 T	RDX	5.743	5.600 E3	2.5	97	-0.14
4 T	1,3,5-Trinitrobenzene	11.774	11.584 E3	1.6	96	-0.17
5 T	1,3-Dinitrobenzene	17.928	17.534 E3	2.2	94	-0.20
6 T	3,5-Dinitroaniline	13.666	13.976 E3	-2.3	100	-0.21
7 T	Nitrobenzene	11.080	10.714 E3	3.3	95	-0.22
8 T	Tetryl	5.879	6.120 E3	-4.1	109	-0.18
9 T	2,4,6-Trinitrotoluene	12.912	13.688 E3	-6.0	108	-0.19
10 T	2-Amino-4,6-dinitrotoluene	12.535	10.084 E3	19.6	79	-0.19
11 T	4-Amino-2,6-dinitrotoluene	5.622	5.159 E3	8.2	81	-0.18
12 T	2,4-Dinitrotoluene	16.682	13.721 E3	17.7	82	-0.19
13 T	2,6-Dinitrotoluene	7.425	7.185 E3	3.2	93	-0.18
14 T	2-Nitrotoluene	7.031	6.385 E3	9.2	92	-0.28
15 T	4-Nitrotoluene	5.488	4.974 E3	9.4	88	-0.30
16 T	3-Nitrotoluene	6.772	6.178 E3	8.8	89	-0.24
17 T	PETN	14.870	11.889 E3	20.0	148	-0.72#

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC_L\DATA\HL100413\HL005588.D Vial: 4
 Acq On : 04-Oct-2013, 13:22 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL100413.M
 Title :
 Last Update : Mon Oct 07 18:32:16 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------