

Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC_L\DATA\HL100413\HL005588.D Vial: 4
 Acq On : 04-Oct-2013, 13:22 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL100413.M
 Title :
 Last Update : Mon Oct 07 18:32:16 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	460.354	7.9	97	-0.12
2 T	HMX	500.000	476.102	4.8	94	-0.09
3 T	RDX	500.000	487.599	2.5	97	-0.14
4 T	1,3,5-Trinitrobenzene	500.000	491.919	1.6	96	-0.17
5 T	1,3-Dinitrobenzene	500.000	489.025	2.2	94	-0.20
6 T	3,5-Dinitroaniline	500.000	511.324	-2.3	100	-0.21
7 T	Nitrobenzene	500.000	483.492	3.3	95	-0.22
8 T	Tetryl	500.000	520.532	-4.1	109	-0.18
9 T	2,4,6-Trinitrotoluene	500.000	530.054	-6.0	108	-0.19
10 T	2-Amino-4,6-dinitrotoluene	500.000	402.243	19.6	79	-0.19
11 T	4-Amino-2,6-dinitrotoluene	500.000	414.513	17.1	81	-0.18
12 T	2,4-Dinitrotoluene	500.000	411.254	17.7	82	-0.19
13 T	2,6-Dinitrotoluene	500.000	483.848	3.2	93	-0.18
14 T	2-Nitrotoluene	500.000	454.087	9.2	92	-0.28
15 T	4-Nitrotoluene	500.000	453.188	9.4	88	-0.30
16 T	3-Nitrotoluene	500.000	456.166	8.8	89	-0.24
17 T	PETN	500.000	399.769	20.0	148	-0.72#

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC_L\DATA\HL100413\HL005588.D Vial: 4
 Acq On : 04-Oct-2013, 13:22 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL100413.M
 Title :
 Last Update : Mon Oct 07 18:32:16 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------