

Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC_L\DATA\HL100413\HL005595.D Vial: 47
 Acq On : 04-Oct-2013, 15:01 Operator: QM
 Sample : HSTDICV005 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : AUTOINT1.E

Instrument :
 HPLC_L
 ClientSampleId :
 ICVHL100413NG

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL1004NG.M
 Title :
 Last Update : Tue Oct 08 19:26:46 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	5.000	4.934	1.3	98	0.02
2 T	Nitroglycerin	5.000	5.130	-2.6	111	0.04

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC_L\DATA\HL100413\HL005595.D Vial: 47
 Acq On : 04-Oct-2013, 15:01 Operator: QM
 Sample : HSTDICV005 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : AUTOINT1.E

Instrument :
 HPLC_L
 ClientSampleId :
 ICVHL100413NG

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL1004NG.M
 Title :
 Last Update : Tue Oct 08 19:26:46 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------