

Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC_L\DATA\HL100413\HL005599.D Vial: 44
 Acq On : 04-Oct-2013, 15:49 Operator: QM
 Sample : HSTDICC005 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : AUTOINT1.E

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC005

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL1004NG.M
 Title :
 Last Update : Mon Oct 07 18:04:20 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	4.300	4.324 E6	-0.6	100	0.01
2 T	Nitroglycerin	8.038	7.578 E6	5.7	102	0.04

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC_L\DATA\HL100413\HL005599.D Vial: 44
 Acq On : 04-Oct-2013, 15:49 Operator: QM
 Sample : HSTDICC005 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : AUTOINT1.E

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC005

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL1004NG.M
 Title :
 Last Update : Mon Oct 07 18:04:20 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------